



AQUAROC™

EXQUISITE BATHROOMS

CONTENTS

INTRODUCTION	3
SPECIFICATIONS	6
INSTALLATION	8
CARE & CLEANING	10
GUARANTEE	12



All of our products are covered by our guarantee which can be found at the back of this document.

Five-star luxury and ultimate indulgence begins with Aquaroc™, the freestanding bathtub specialist. Aquaroc™ have revolutionised the way people use their bathrooms, embracing a new definition of bathroom lavishness and unsurpassable relaxation with our range of meticulously designed, hand-finished, solid surface, stone resin baths. The free-standing exquisite designs are beautiful and impressive.

Explore our stunning collection of contemporary yet timeless designs and choose a bath to add a touch of elegance to your bathroom. When you have found your perfect bath, why not complement it with one of our matching basins, vanity and mirror? Create a sanctuary of solitude and relaxation...



AQUAROC™

ENZO

MATTE BLACK
FREESTANDING BATH 1700
SOLID SURFACE STONE RESIN



ENZO




SPECIFICATIONS OVERVIEW

The matte black Enzo is dramatic and decadent; the black is alluring and impressive, adding a little theatre to the bathroom aesthetic. Packed with panache and personality, the black Enzo is crafted to perfection in our signature matte black finish.


MODEL	ENZO
COLOUR	BLACK
MATERIAL	SOLID SURFACE STONE RESIN
FINISH	MATTE BLACK OUTSIDE POLISHED INSIDE
LENGTH	1700MM
WIDTH	800MM
HEIGHT	550MM
THICKNESS	20MM
WEIGHT	138KG
WATER CAPACITY TO OVERFLOW	270 LITRES
BUILT-IN OVERFLOW	YES
POP-UP WASTE INCLUDED	POLISHED BLACK SOLID SURFACE CLICK CLACK
BATH WASTE FITTING INCLUDED	LOW-PROFILE WASTE CONNECTOR & FLEXI PIPE
PACKAGING SIZE	1820 X 920 X 750MM
GUARANTEE	LIFETIME

ENZO

1700 x 800 x 550 - SPECIFICATIONS IN MM



SECTION A-A




SECTION B-B

ENZO 1700 INSTALLATION


Before you begin installing a new Aquaroc™ bath it is important to have reviewed the specific model technical drawing and bath specification within this booklet. This will show accurate dimensions, waste location and weight of your chosen bath.

Each one of our exquisite baths is supplied with a matching solid surface click clack waste, low-profile waste connector and extendible flexible pipe which fits within the bath void and the base of the floor. Our waste pipes will work with all British standard bath traps.



1.

Before positioning the bath ensure the floor is clean and level. Once the bath is in position, trace the outline of the bath base with a pencil.




2.

Within the outline of the bath base measure and cut a hole into the subfloor large enough to bring through your waste pipework.


All bath installation must be completed by a competent qualified professional only.

ENZO 1700 INSTALLATION




3.

Position two timber lengths at either side of the bath and then lift the bath onto the timbers. This allows the bath to be propped up high enough to be able to connect the waste fitting to the trap.



4.

Upon completion of connecting the waste pipe to the trap, we recommend you fill the bath halfway and then open the waste to check for any leaks. Once you are satisfied there are no leaks remove the timbers and lower the bath into position.



5.

Finally apply a bead of tub and tile caulk around the bottom edge of the bath where it meets the floor. Wipe off any excess with a wet cloth. Then wait 24 hours before use.

All bath installation must be completed by a competent qualified professional only.

AQUAROC™ CARE & GUARANTEE

Aquaroc™ is a proud British brand with a global presence who specialise in creating exquisite high-end bathrooms expertly crafted from our unique material, we are proud to be one of the market leaders in this industry, our reputation has been built on unparalleled quality, innovative designs and outstanding customer service.



Our luxurious high performing solid surface stone material is enriched with the world's finest minerals and mixed with a superior performance resin.

This revolutionary material delivers an exceptional quality to the bathroom experience and can be crafted into the most inspiring bathroom products by the world's leading luxury designers and architects.

Launched after years of research and development, Aquaroc proves ground-breaking. While retaining

the sensual touch, luxurious feel and warmth, the material delivers superior strength, high performance and durability.

The highest engineering and design standards are exceeded. It outperforms all other conventional bathroom materials. Tactile to the touch and shaped by hand with absolute perfection, Aquaroc exemplifies the best of modern technology, combined with the meticulous craftsmanship of the finest artisans.

AQUAROC™ CARE & GUARANTEE

CLEANING & CARE - MATTE FINISH

We recommend our matte finished products should be cleaned frequently with warm soapy water. Preferably the product should be cleaned immediately after use, rinsed with water and dried with a soft cloth.

Cream cleaning products should be used for stubborn stains we recommend using CIF or AJAX please follow the instructions on the packaging of your chosen cleaner.

Do not use concentrated bleach, tar-based shampoo or any acid/acidic cleaning products.

We strongly recommend that you use the wet and dry sandpaper pad to give the bath a deep clean at least once a month. The pad will remove all stubborn stains and fine scratches. Use the pad with plenty of warm soapy water.

Surface scratches and chips can be polished out using various grades of sandpaper depending on the depth of the scratch/chip. Once the scratch or chip has gone, you will need to smoothen it off using the fine grade sandpaper that was supplied with your product.

CLEANING & CARE - POLISHED FINISH

We recommend our polished finished products should be cleaned frequently with warm soapy water. Preferably the product should be cleaned immediately after use, rinsed with water and dried with a soft cloth.

Cream cleaning products should be used and we recommend using CIF or AJAX please follow the instructions on the packaging of your chosen cleaner.

For stubborn stains and light surface scratches we recommend using a polishing kit.

Do not use concentrated bleach, Tar based shampoo or any acid/acidic cleaning products. Scouring powders/pads or abrasive cleaners should also never be used.

For deep scratches and chips we recommend that you use a professional stone mason. These companies can be found by doing a search online for solid surface stone resin repair.



We meticulously test everything we sell to ensure we are bringing you the finest products, guaranteed to last.

We are so confident in the quality of Aquaroc solid surface stone resin products that we offer a lifetime goods guarantee and a flawless finish as standard.

LIFETIME GOODS GUARANTEE

Our lifetime goods guarantee is intended to cover the reasonably anticipated lifespan of goods and applies to the original purchaser and the original installation address only. The guarantee is non-transferable.

REGISTER YOUR PURCHASE

We require the original proof of purchase to be provided for us to be able to consider any claim, so please keep your receipt. Your guarantee must be registered online via our Aquaroc care and guarantee page within 14 days of receiving your order. In the unlikely event the goods fails within the guarantee period,

we will offer a free replacement or replacement part. Liability is limited to individual goods and does not cover consequential loss.

TERMS & CONDITIONS

All goods must be installed in accordance with the instructions provided, and only to be fitted by qualified professionals. Your guarantee will be invalidated if you do not follow our fitting instructions.

This guarantee does not cover any loss or damage during installation or faults caused by not adhering to our cleaning and care guide.

You are responsible for the safe care and storage of all goods once they are delivered, failure to do so will void your guarantee. Accidental damage is not covered.

We must be given the opportunity to inspect the goods, which may be on-site, if we request to do so.

The goods should not be removed or destroyed before inspection without our consent.

Aquaroc cannot be held liable for any reinstallation or fitting costs relating to the replacing of any spare part or replaced product.